

# SAFETY DATA SHEET



**PROSOCO**  
Revision Number 2.02

Issuing Date 11-Aug-2014

Revision date 04-Sep-2020

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** PROSOCO R-Guard® Joint & Seam Filler

### Other means of identification

**Product Code(s)** 70410

### Recommended use of the chemical and restrictions on use

**Recommended use** Restricted to professional users.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

PROSOCO, Inc.  
3741 Greenway Circle  
Lawrence, Kansas 66046

#### Emergency telephone number

**8:00 AM – 5:00 PM CST Monday-Friday** 785-865-4200  
**NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

## 2. HAZARDS IDENTIFICATION

### Classification

Reproductive toxicity	Category 1B
-----------------------	-------------

### Label elements

#### Emergency Overview

**Danger**

#### **Hazard statements**

May damage fertility or the unborn child



**Appearance** viscous

**Physical state** Paste/Gel Liquid

**Odor** Mild

### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other information****3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Weight-%	Trade Secret
Proprietary - Silyl Terminated Polymer	Undisclosed	10 - 30	*
Limestone	1317-65-3	10 - 30	*
Polypropylene glycol	25322-69-4	10 - 30	*
Precipitated Calcium Carbonate	471-34-1	10 - 30	*
Stearic acid	57-11-4	1 - 5	*
Titanium dioxide	13463-67-7	1 - 5	*
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	1 - 5	*
Dibutyltin Diacetylacetone	22673-19-4	0.1 - 1	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****Description of first aid measures****General advice** Do not get in eyes, on skin, or on clothing. If symptoms persist, call a physician.**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.**Skin Contact** Wipe off material with a dry cloth. Wash with soap and water. Consult a physician if necessary.**Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Call a physician.**Ingestion** Do NOT induce vomiting. Rinse mouth. If symptoms persist, call a physician.**Self-protection of the first aider** Use personal protective equipment as required.**Most important symptoms and effects, both acute and delayed****Symptoms** May be harmful if swallowed. May cause irritation.**Indication of any immediate medical attention and special treatment needed****Note to physicians** Treat symptomatically.**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

No information available.

**Hazardous combustion products** Carbon oxides.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists.

**Environmental precautions**

**Environmental precautions** Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated place.

**Incompatible materials** Acids. Incompatible with oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone 1317-65-3		TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Precipitated Calcium Carbonate 471-34-1			TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
Dibutyltin Diacetylacetone	STEL: 0.2 mg/m <sup>3</sup> Sn	TWA: 0.1 mg/m <sup>3</sup> Sn	IDLH: 25 mg/m <sup>3</sup> Sn

22673-19-4	TWA: 0.1 mg/m <sup>3</sup> Sn S*	(vacated) TWA: 0.1 mg/m <sup>3</sup> Sn (vacated) S*	TWA: 0.1 mg/m <sup>3</sup> except Cyhexatin Sn
------------	-------------------------------------	---	---

NIOSH IDLH *Immediately Dangerous to Life or Health*

**Other information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

**Engineering Controls** None under normal use conditions.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

<b>Physical state</b>	Paste/Gel Liquid	<b>Odor</b> <b>Odor threshold</b>	Mild No information available	
<b>Appearance</b>	viscous			
<b>Color</b>	light red			
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>		
<b>pH</b>	Not Applicable			
<b>Melting point / freezing point °F</b>	No information available			
<b>Boiling point / boiling range</b>	No information available			
<b>Flash point</b>	> 100 °C / > 212 °F			
<b>Evaporation rate</b>	No information available			
<b>Flammability (solid, gas)</b>	No information available			
<b>Flammability Limit in Air</b>				
<b>Upper flammability limit:</b>	No information available			
<b>Lower flammability limit:</b>	No information available			
<b>Vapor pressure</b>	No information available			
<b>Vapor density</b>	No information available			
<b>Specific gravity</b>	1.4 - 1.5			
<b>Water solubility</b>	Insoluble in water			
<b>Solubility in other solvents</b>	No information available			
<b>Partition coefficient</b>	No information available			
<b>Autoignition temperature</b>	No information available			
<b>Decomposition temperature</b>	No information available			
<b>Kinematic viscosity</b>	No information available			
<b>Dynamic viscosity</b>	No information available			
<b>Explosive properties</b>	Not an explosive			
<b>Oxidizing properties</b>	Not Applicable			

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

None under normal processing.

**Conditions to avoid**

None known based on information supplied.

**Incompatible materials**

Acids. Incompatible with oxidizing agents.

**Hazardous decomposition products**

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

<b>Product Information</b>	May be harmful by inhalation, ingestion, or skin absorption
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Eye contact</b>	Avoid contact with eyes.
<b>Skin Contact</b>	Avoid contact with skin.
<b>Ingestion</b>	Do not taste or swallow.

**Component Information**

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Polypropylene glycol 25322-69-4	> 2 g/kg ( Rat )		
Precipitated Calcium Carbonate 471-34-1	= 6450 mg/kg ( Rat )		
Stearic acid 57-11-4		> 5 g/kg ( Rabbit )	
Titanium dioxide 13463-67-7	> 10000 mg/kg ( Rat )		
Aminoethyl aminopropyl trimethoxy silane 1760-24-3	= 7460 µL/kg ( Rat )		

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Symptoms</b>	May be harmful if swallowed. May cause irritation.
-----------------	--

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen. * Titanium Dioxide has been associated with lung cancer where the exposure is to the respirable, dry powder form of the material. However, due to the physical nature of this product (cured and uncured), exposures are not expected.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	-	Group 2B	-	X

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans  
OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
X - Present

<b>Reproductive toxicity</b>	May damage fertility or the unborn child.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

#### Numerical measures of toxicity - Product Information

##### **Unknown acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	5077 mg/kg
ATEmix (dermal)	2963 mg/kg mg/l

### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

#### Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

<u>Other adverse effects</u>	No information available
------------------------------	--------------------------

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

<b>Disposal of wastes</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
---------------------------	---

<b>Contaminated packaging</b>	Do not reuse container.
-------------------------------	-------------------------

### **14. TRANSPORT INFORMATION**

<u>DOT</u>	Not Regulated for all modes of transportation.
------------	--

### **15. REGULATORY INFORMATION**

#### International Inventories

TSCA	Complies
DSL/NDSL	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

### California Proposition 65

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	X	X	X
Titanium dioxide 13463-67-7	X	X	X
Quartz 14808-60-7	X	X	X

## **16. OTHER INFORMATION**

<u>NFPA</u>	Health hazards 2	Flammability 1	Instability 0	Physical and chemical properties - Personal protection
<u>HMIS</u>	Health hazards 2	Flammability 1	Physical hazards 0	X

**Issuing Date** 11-Aug-2014  
**Revision date** 04-Sep-2020

### Revision Note

SDS sections updated 2 3

### Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet